

**Option D**



**A** – 545  
**B** – 585  
**C** – 580

Bi-folding and single door for maximum tray access.  
*Right hand illustrated*  
SWIF1295LHDLH  
SWIF1295RHDRH

**Option E**



**A** – 750  
**B** – 410  
**C** – 675

Full height enclosure at 1850mm, with full height outward opening door.  
*Right hand illustrated*  
SWIF1295LHELH  
SWIF1295RHERH  
\*Curtain not supplied with this option

**Option F**



**A** – 710  
**B** – 415  
**C** – 675

Single door with fixed and return panel where assisted bathing is required. *Right hand illustrated*  
SWIF1295LHFLH  
SWIF1295RHFRH

**Option D**



**A** – 570  
**B** – 610  
**C** – 680

Bi-folding and single door for maximum tray access.  
*Right hand illustrated*  
SWIF1345LHDLH  
SWIF1345RHDRH

**Option E**



**A** – 750  
**B** – 460  
**C** – 775

Full height enclosure at 1850mm, with full height outward opening door.  
*Right hand illustrated*  
SWIF1345LHELH  
SWIF1345RHERH  
\*Curtain not supplied with this option

**Option F**



**A** – 710  
**B** – 465  
**C** – 775

Single door with fixed and return panel where assisted bathing is required.  
*Right hand illustrated*  
SWIF1345LHFLH  
SWIF1345RHFRH

**Option D**



**A** – 570  
**B** – 610  
**C** – 780

Bi-folding and single door for maximum tray access.  
*Right hand illustrated*  
SWIF1345x945LHDLH  
SWIF1345x945RHDRH

**Option E**



**A** – 750  
**B** – 460  
**C** – 875

Full height enclosure at 1850mm, with full height outward opening door.  
*Right hand illustrated*  
SWIF1345x945LHELH  
SWIF1345x945RHERH

**Option F**



**A** – 710  
**B** – 465  
**C** – 875

Single door with fixed and return panel where assisted bathing is required.  
*Right hand illustrated*  
SWIF1345x945LHFLH  
SWIF1345x945RHFRH



**NOW AVAILABLE**

Our latest addition to the Swift range is the fixed length Swift Alcove 1400x745mm alcove tray designed with three tiling lips to fit easily between three walls.

The 14mm tiling lip on this tray will easily accept tiles or wallboards and provides a leak proof finish.



**Swift**

- Incorporates TRUESEAL2 floor edge profile
- Remove only 18mm of flooring
- Complete level access
- Variety of tray sizes available

# CONTOUR Eagle Two

**'Eagle Two non-handed front entry tray NOW available'**

## Level access, bath replacement using TRUESEAL2



The Eagle range of level access shower trays gives you the perfect choice when creating an unrestricted front entry or corner entry, wheelchair friendly showering area where a bathtub is no longer practical or functional.

Using TRUESEAL2, our unique floor edge profile, an Eagle tray makes it possible for you to hot seam weld vinyl sheet flooring directly onto the trays unique TRUESEAL2 profile, creating a perfectly secure watertight joint, and vastly reducing the chances of future problems.

**NOW AVAILABLE**, Eagle Two 1850x745 and 1850x845 non-handed shower trays for front entry shower doors. An Eagle Two has three tiling lips and a central waste position. Either end of the tray can be cut to determine the trays hand on site and for easier installation, see page 34.

## Benefits

An Eagle can be cut to length to fit exactly into the space once occupied by a bath. The installation of the tray, with the enclosure can be carried out during one site visit, leaving the flooring to be fitted afterwards. Installing an Eagle tray only requires the removal of **18mm** of flooring, the equivalent of a floorboard.

- Barrier free, level access, assists effortless wheelchair entry
- Create a defined shower area without reducing floor space
- Incorporating the unique Trueseal2 floor edge profile for that perfect waterproof joint
- Eagle tray supplied with a STW8B-95 gravity waste.  
Eagle Two supplied with a ST90CPB-P-70 gravity waste
- Avoids the need to create difficult falls, and requires only **18mm** of existing floor to be removed (apart from the trap area)
- Installation friendly, removes the need for intricate corner seam welds
- Shower tray, enclosure and any ancillary equipment can be installed during one site visit, leaving the flooring to be fitted afterwards
- Tray side walls shaped to complement coving formers
- Cut to length tray, can be cut from its original length of 1850mm to fit exactly into the space left by a bath. End plate supplied to conceal the cut end when installed between three walls
- Lifetime guarantee
- Anti-slip surface for an assured underfoot grip
- Manufactured in the UK
- Exclusively incorporates Microban® antibacterial protection
- Eagle for corner entry doors and Eagle Two for front entry door options




Suitable for wooden floors



Suitable for screeded floors



Yes



Suitable for gravity waste



Suitable for pumped waste



Cut to size bath replacement



Proudly Made in the UK

## TRUESEAL2 Preparation

Only 18mm of flooring needs to be removed when installing an Eagle. ¼" plywood should then be used to cover the exposed floor and tray edge, butting up to the TRUESEAL2 profile. Vinyl sheet flooring can now be laid as necessary, overlapping the tray and floor joint.

Vinyl sheet flooring should be grooved and hot seam welded directly to the PVC insert on the TRUESEAL2 profile.


The Eagle has an 18mm tiling lip, which could also accommodate wallboards. The tiling lip is also used to secure the tray to the wall.

Eagle trays can also be used in a tiled floor situation, by omitting TRUESEAL2 during manufacture. If you intend to use floor tiles with an Eagle, please state clearly when ordering.

Trays can be cut to length by as much as:

Tray	Cut to Length
ET745*	From 1850 to 1500mm
ET845*	From 1850 to 1500mm
EAGL745	From 1850 to 1130mm
EAGL845	From 1850 to 1340mm


\*Eagle Two trays should only be cut down from one end



The Eagle Two endplate screws and silicones to the trays cut end



Hot seam weld flooring to the Eagle




Tiling lip cross section



ET745F1LH illustrated, vinyl floor  
See following pages for more options



Tiled floor option



STW8B-95 for use with an Eagle tray



ST90CPB-P-70 for use with an Eagle Two tray

Reference	Tray Size		
	A	B	C
ET745	1850	745	N/A
ETL845	1850	845	N/A
EAGL745	1850	745	1060
EAGL845	1850	845	1270

EAGL745 & EAGL845 are handed

## Waste Options

Eagle tray supplied as standard with a STW8B-95 50mm water seal gravity waste, UPSW-3-22 available if using a waste pump situation.

Eagle Two tray supplied as standard with a ST90CPB-P-70 50mm water seal gravity waste, UPSW-4 available if using with a waste pump, see page 104 & 105 for more details.

## Door Options >>>>




## Eagle Two

- Eagle Two for front entry door options
- Remove only 18mm of flooring
- Complete level access
- Bath replacement

# EAGLE TWO

## EAGLE TWO 745



Tray not handed  
Reference Code: ET745

## Option F1



This option is made to measure, please advise

Bi-folding door hinging from the wall for easy access with a fixed panel.  
Left hand illustrated  
ET745F1LH  
ET745F1RH


## Option F2



This option is made to measure, please advise

Bi-parting doors hinging from the wall and fixed panel for easy access.  
Left hand illustrated  
ET745F2LH  
ET745F2RH

## EAGLE TWO 845



Tray not handed  
Reference Code: ET845

## Option F1



This option is made to measure, please advise

Bi-folding door hinging from the wall for easy access with a fixed panel.  
Left hand illustrated  
ET845F1LH  
ET845F1RH


## Option F2



This option is made to measure, please advise

Bi-parting doors hinging from the wall and fixed panel for easy access.  
Left hand illustrated  
ET845F2LH  
ET845F2RH

## EAGL745 (Formerly EAGLE001)



Left hand illustrated  
Reference Code: EAGL745LH  
EAGL745RH

## Option A



A - 500  
B - 560  
C - 555

Bi-folding door hinging from the wall for corner access.  
Left hand illustrated  
EAGL745LHALH  
EAGL745RHARH


## Option B



A - 500  
B - 540  
C - 285  
D - 265

Tri-folding door hinging from the wall for maximum access.  
Left hand illustrated  
EAGL745LHBLH  
EAGL745RHBRH

## EAGL845 (Formerly EAGLE002)



Left hand illustrated  
Reference Code: EAGL845LH  
EAGL845RH

## Option A



A - 500  
B - 770  
C - 655

Bi-folding door hinging from the wall for corner access.  
Left hand illustrated  
EAGL845LHALH  
EAGL845RHARH

## Option B



A - 500  
B - 770  
C - 335  
D - 315

Tri-folding door hinging from the wall for maximum access.  
Left hand illustrated  
EAGL845LHBLH  
EAGL845RHBRH

Option F3

Option WF20

Option WF27

Option X

 <p><b>This option is made to measure, please advise</b></p> <p>Two fixed panels with centralised bi-parting doors. <i>Left hand illustrated</i> ET745F3LH ET745F3RH</p>	 <p><b>Fits between two walls</b> <b>Minimum</b> - 875mm <b>Maximum</b> - 1350mm</p> <p>Sliding door extends across the front, opening outwards for full access. <i>Left hand illustrated</i> ET745WF20LH ET745WF20RH</p>	 <p><b>Fits between two walls</b> <b>Minimum</b> - 1375mm <b>Maximum</b> - 1850mm</p> <p>Sliding door extending across the front to meet a 500mm fixed panel. <i>Left hand illustrated</i> ET745WF27LH ET745WF27RH</p>	 <p><b>A – 700</b></p> <p>Single full height fixed panel, 1850mm, with a ribbed vertical support. <i>Left hand illustrated</i> ET745XLH ET745XRH</p>
--	--	---	---

Option F3

Option WF20

Option WF27

Option X

 <p><b>This option is made to measure, please advise</b></p> <p>Two fixed panels with centralised bi-parting doors. <i>Left hand illustrated</i> ET845F3LH ET845F3RH</p>	 <p><b>Fits between two walls</b> <b>Minimum</b> - 875mm <b>Maximum</b> - 1350mm</p> <p>Sliding door extends across the front, opening outwards for full access. <i>Left hand illustrated</i> ET845WF20LH ET845WF20RH</p>	 <p><b>Fits between two walls</b> <b>Minimum</b> - 1375mm <b>Maximum</b> - 1850mm</p> <p>Sliding door extending across the front to meet a 500mm fixed panel. <i>Left hand illustrated</i> ET845WF27LH ET845WF27RH</p>	 <p><b>A – 800</b></p> <p>Single full height fixed panel, 1850mm, with a ribbed vertical support. <i>Left hand illustrated</i> ET845XLH ET845XRH</p>
--	--	---	---



**Eagle Two**

- Eagle Two for front entry door options
- Remove only 18mm of flooring
- Complete level access
- Bath replacement using TRUESEAL2