

CONTOUR Kittiwake



Above ground, bath replacement with built in pipe duct, only 80mm high

An above ground bath replacement tray at only **80mm** in height, that can be installed on any floor type, even an unbreachable surface. The Kittiwake can be cut to length on site to fit exactly into the space once occupied by a bath and incorporates a drying area and an end plate to conceal the cut end of the shower tray

Features

Incorporating a built in pipe duct, the design of the Kittiwake allows the installer a number of options as to where the waste water pipework can exit this shower tray.

With the added ability of being cut to length, this tray can fit perfectly between three walls, providing easy step in access. Optional ramp available to assist wheelchair access.


- Low entry point for easy step in, only **80mm** high
- Incorporating built in pipe duct for concealed plumbing
- Waste can be taken out in several positions
- Suitable for wooden or solid floor situations
- Ramp R04 available as an optional accessory on request to assist wheelchair access, see page 115
- Cut to length shower tray, incorporating drying area, can be reduced from its original size of 1850mm to 1160mm to fit exactly into the space left by a bath
- Lifetime guarantee
- Reinforced GRP construction
- Anti-slip surface for an assured underfoot grip
- Hair trap fitted, reduces the prospect of hair, soap or shower gels possibly causing a blockage in the outlet
- Manufactured in the UK
- Exclusively incorporates Microban® antibacterial protection
- Left or right hand available



Suitable for wooden floors



Suitable for screeded floors




Suitable for unbreachable floors



Above ground tray



Only 80mm high



Suitable for gravity or pumped waste



Cut to size bath replacement



Proudly Made in the UK

KITTIWAKE

KITTIWAKE



Right hand illustrated
Reference Code: KITTLH
KITTRH

Option A



A - 520
B - 610
C - 320

Tri-folding door hinging from the wall for corner access. Vertical support pole, which is strong enough to act as a grab rail.
Right hand illustrated
KITTLHALH
KITTRHARH

Option B



A - 515
B - 290
C - 330

Twin bi-folding doors hinging from the wall and fixed panel for corner access. Vertical support pole, which is strong enough to act as a grab rail
Right hand illustrated
KITTLHBLH
KITTRHBRH

Option WF27



Fits between two walls
Minimum
- 1375mm
Maximum
- 1850mm

Sliding door smoothly extends across the shower tray to meet a 500mm fixed panel.
Right hand illustrated
KITTLHWF27LH
KITTRHWF27RH

Option X

Option F1

Option WF20



A - 800

Single full height fixed panel with a ribbed vertical support pole, which is strong enough to act as a grabrail.
 Right hand illustrated
 KITTLXHLH
 KITTRXRH



This option is made to measure, please advise


Bi-folding door hinging from the wall allows easy access from the left hand side of the shower tray.
 Right hand fixed panel illustrated
 KITTLHF1LH
 KITTRHF1RH



Fits between two walls
Minimum
 - 875mm
Maximum
 - 1350mm

Sliding door extends across the front, opening outwards for full access.
 Right hand illustrated
 KITTLHWF20LH
 KITTRHWF20RH

‘Our unique **Specify It** tool on our website allows you to click, copy and paste accurate information directly into your specifiaction document’
www.contour-showers.co.uk



Kittiwake

- Bath replacement
- Above ground, step in tray
- Only 80mm high
- Built in pipe duct