

# CONTOUR Prinia

'1800x700 bath replacement  
NOW available'



## Above ground, with 90mm diameter high performance gravity waste, only 110mm high

A Prinia shower tray can be quickly and easily installed on any floor type, even an unbreachable surface, with the minimum amount of disruption. With a high performance 50mm water seal waste, a Prinia is ideal for installation on an unbreachable floor where a shower waste pump is not required. Waste option available if using in a shower waste pump situation.

**NOW AVAILABLE**, 1800x700mm size for those requiring a cut to size bath replacement, above ground tray with a larger showering area, see page 86.

### Features

At **110mm** high, a Prinia shower tray requires no floor excavation as the waste water is removed above ground level. The waste pipework can be concealed beneath the shower tray, and also allows the option as to where the waste can exit the tray. Optional step available on request, allowing for assisted entry for the ambulant user.

- Step in shower tray, only **110mm** high
- 90mm diameter gravity waste with 50mm water seal. Removable top grid allows for easy cleaning
- Waste flow rate of up to 35 litres per minute
- Suitable for wooden, solid or unbreachable floor situations
- Self supporting, does not require bedding down onto a sand and cement mix
- Waste pipework can be taken out beneath the tray in several positions
- 55mm high step available as an optional accessory on request for assisted entry
- Lifetime guarantee
- Reinforced GRP construction
- Anti-slip surface for an assured underfoot grip
- Manufactured in the UK
- Exclusively incorporates Microban® antibacterial protection
- 1800x700 bath replacement size can be cut down by 300mm to fit exactly into the space once occupied by a bath. End plate supplied to conceal the cut end of the tray when installed between three walls
- Trays not handed



Suitable for wooden floors



Suitable for screeded floors



Suitable for unbreachable floors



Suitable for pumped waste  
Above ground tray



110mm high



Suitable for gravity waste




Suitable for pumped waste





**PRINIA**

**PRIN1300x700**



Tray not handed  
Reference Code: PRIN1300x700

**Option B**



**A** - 290  
**B** - 250

Twin bi-folding inline doors allow full access in an alcove.  
Not handed  
PRIN1300x700B


**Option C**



**A** - 280  
**B** - 300  
**C** - 600  
**D** - 580

Twin bi-folding doors provide maximum access.  
Right hand illustrated  
PRIN1300x700CLH  
PRIN1300x700CRH

**PRIN1400x700**



Tray not handed  
Reference Code: PRIN1400x700

**Option A**



**A** - 620  
**B** - 320  
**C** - 300

Twin bi-folding inline doors with a fixed return panel.  
Right hand illustrated  
PRIN1400x700ALH  
PRIN1400x700ARH


**Option B**



**A** - 320  
**B** - 280

Twin bi-folding inline doors allow full access in an alcove.  
Not handed  
PRIN1400x700B

**PRIN1800x700**



Tray not handed  
Reference Code: PRIN1800x700

**Option B**



**Made to measure, please advise**

Twin bi-folding inline doors allow full access in an alcove.  
Not handed  
PRIN1800x700B

**Option F1**



**Made to measure, please advise**

Bi-folding door hinging from the wall for easy access, with a fixed panel.  
Right hand illustrated  
PRIN1800x700F1LH  
PRIN1800x700F1RH

**Option E**



**A** – 620  
**B** – 570

Bi-folding door allows full access to the tray front.  
*Right hand illustrated*  
PRIN1300x700ELH  
PRIN1300x700ERH

**Option F**



**A** – 620  
**B** – 400  
**C** – 760

Single outward opening door with fixed front and return panels.  
*Right hand illustrated*  
PRIN1300x700FLH  
PRIN1300x700FRH

**Option G**



**A** – 625  
**B** – 450  
**C** – 360

Bi-parting outward opening doors with fixed front and return panels.  
*Right hand illustrated*  
PRIN1300x700GLH  
PRIN1300x700GRH

**Option H**



**A** – 550

Bi-parting inline doors allow full access in an alcove.  
*Not handed*  
PRIN1300x700H

**Option D**



**A** – 290  
**B** – 420  
**C** – 430  
**D** – 480

Fixed panel with twin bi-folding doors to the corner.  
*Right hand illustrated.*  
PRIN1400x700DLH  
PRIN1400x700DRH

**Option F**



**A** – 620  
**B** – 410  
**C** – 830

Single outward opening door with fixed front and return panels.  
*Right hand illustrated*  
PRIN1400x700FLH  
PRIN1400x700FRH

**Option G**



**A** – 620  
**B** – 440  
**C** – 375

Bi-parting outward opening doors with fixed front and return panels.  
*Right hand illustrated*  
PRIN1400x700GLH  
PRIN1400x700GRH

**Option I**



**A** – 580  
**B** – 735

Fixed panel with bi-parting doors to the corner.  
*Right hand illustrated.*  
PRIN1400x700ILH  
PRIN1400x700IRH

**Option F2**



**Made to measure, please advise**

Bi-parting doors opening for easy access, with a fixed panel.  
*Right hand illustrated*  
PRIN1800x700F2LH  
PRIN1800x700F2RH

**Option F3**



**Made to measure, please advise**

Two fixed panels with centralised bi-parting doors.  
*Not handed*  
PRIN1800x700F3

**Option WF27**



**Fits between two walls**  
**Minimum**  
1375mm  
**Maximum**  
1850mm

Sliding door extending across the front to meet a 500mm fixed panel.  
*Right hand illustrated*  
PRIN1800x700WF27LH  
PRIN1800x700WF27RH



**Prinia**

- Requires no floor disruption
- Above ground, step in tray
- Only 110mm high
- 90mm diameter waste