

CONTOUR Sandmartin, Kingfisher & Kite

Level access, bath replacement

A range of level access shower trays, available in three different widths, that can be cut to length on site to fit exactly into the space once occupied by a bath tub. Cut to length trays, which incorporate a drying area, will fit comfortably between three walls, and are supplied with an end panel that will conceal the cut end.



Level access, bath replacement shower trays require no ramps or steps to negotiate, ideal for the ambulant or wheelchair users.

Application

Can be installed within concrete or wooden floors. An area of approximately **40mm** in depth would need to be removed to accept the shower tray. If fitting in a wooden floor this would require some modification to the floor joists. Available with a variety of enclosure options to suit almost any requirement.

- Level access, assists effortless wheelchair entry
- 18mm tiling lip can accommodate wallboards. Also used to fix the shower tray to the wall
- Lower side walls for greater strength and stability
- Cut to length tray, incorporating drying area, can be cut from its original length of 1850mm to fit exactly into the space left by a bath. End plate supplied to conceal the cut end
- Lifetime guarantee
- Reinforced GRP construction
- Concealed wall fixing
- Suitable for wooden or solid floor situations. Requires floor excavation of approximately **40mm**
- Anti-slip surface for an assured underfoot grip
- Service ducting available as an optional accessory to overcome pipework or to make the showering area larger, see page 116
- Manufactured in the UK
- Exclusively incorporates Microban® antibacterial protection
- Left or right hand available




Suitable for wooden floors



Suitable for screeded floors



Yes



Suitable for gravity waste



Suitable for pumped waste



Cut to size bath replacement



Proudly Made in the UK




Unrestricted level access and easy wheelchair entry




Cut to length



Sandmartin F1 RH illustrated, See following pages for more options



Void under the tray filled with a weak sand and cement mix



Tiling lip cross section

Bath Replacement

This type of shower tray has been designed as an ideal replacement to a bath tub, and to provide unrestricted level access and easy wheelchair entry.


Incorporating an 18mm tiling lip for that leak proof finish, which will also accommodate wall boards if desired. The tiling lip is also used to secure the shower tray to the wall.

An area of approximately **40mm** minimum in depth must be removed to accept the shower tray. The void beneath the tray must be filled with a 'weak' sand and cement mix.

Service ducting available, on request, to overcome above ground pipework or to make the showering area larger, see page 116.

Trays can be cut to length by as much as:

| Tray | Cut to Length |
|------------|---------------------|
| SANDMARTIN | From 1850 to 1120mm |
| KINGFISHER | From 1850 to 1220mm |
| KITE | From 1850 to 1295mm |



| Tray Reference | Tray Size | | |
|----------------|-----------|-----|------|
| | A | B | C |
| SAND | 1850 | 700 | 1070 |
| KING | 1850 | 800 | 1170 |
| KITE | 1850 | 900 | 1225 |

All tray's are handed

Waste Options

Supplied as standard with a STW8B-95 50mm water seal gravity waste, see page 104 for more details.

UPSW-3-22 available if using in a waste pump situation see page 105 for more details.



Door Options >>>>>



Sandmartin, Kingfisher, Kite

- Bath replacement, cut to length
- Unrestricted level access
- Wheelchair entry
- Variety of tray sizes available

SANDMARTIN & KINGFISHER

SANDMARTIN



Left hand tray illustrated
Reference Code: SANDLH
SANDRH

Option A



- A - 500
- B - 575
- C - 565

Bi-folding door hinging from the wall for corner access.
Left hand illustrated
SANDLHALH
SANDRHARH

Option B



- A - 500
- B - 575
- C - 290
- D - 270

Tri-folding door hinging from the wall for maximum access.
Left hand illustrated
SANDLHBLH
SANDRHBRH

Option F3



This option is made to measure, please advise

Two fixed panels with centralised bi-parting doors.
Left hand illustrated
SANDLHF3
SANDRHF3

Option WF20



Fits between two walls
Minimum
- 875mm
Maximum
- 1350mm

Sliding door extends across the front, opening outwards for full access.
Left hand illustrated
SANDLHWF20LH
SANDRHWF20RH

KINGFISHER



Left hand illustrated.
Reference Code: KINGLH
KINGRH

Option A



- A - 500
- B - 675
- C - 665

Bi-folding door hinging from the wall for corner access.
Left hand illustrated
KINGLHALH
KINGRHARH

Option B



- A - 500
- B - 675
- C - 340
- D - 320

Tri-folding door hinging from the wall for maximum access.
Left hand illustrated
KINGLHBLH
KINGRHBRH

Option F3



This option is made to measure, please advise

Two fixed panels with centralised bi-parting doors.
Left hand illustrated
KINGLHF3
KINGRHF3

Option WF20



Fits between two walls
Minimum
- 875mm
Maximum
- 1350mm

Sliding door extends across the front, opening outwards for full access.
Left hand illustrated
KINGLHWF20LH
KINGRHWF20RH

Option X

Option F1

Option F2



A – 700

Single full height fixed panel, 1850mm, with a ribbed vertical support.
Left hand illustrated
SANDLHXLH
SANDRHXRH



This option is made to measure, please advise

Bi-folding door hinging from the wall for easy access with a fixed panel.
Left hand fixed panel illustrated
SANDLHF1LH
SANDRHF1RH



This option is made to measure, please advise

Bi-parting doors hinging from the wall and fixed panel for easy access from the right hand side of the shower area. Left hand fixed panel illustrated
SANDLHF2LH
SANDRHF2RH

Option WF27



Fits between two walls
Minimum - 1375mm
Maximum - 1850mm

Sliding door extending across the front to meet a 500mm fixed panel.
Left hand illustrated
SANDLHWF27LH
SANDRHWF27RH

Option X

Option F1

Option F2



A – 800

Single full height fixed panel, 1850mm, with a ribbed vertical support.
Left hand illustrated
KINGLHXLH
KINGRHXRH



This option is made to measure, please advise

Bi-folding door hinging from the wall for easy access with a fixed panel.
Left hand fixed panel illustrated
KINGLHF1LH
KINGRHF1RH



This option is made to measure, please advise

Bi-parting doors hinging from the wall and fixed panel for easy access from the right hand side of the shower area. Left hand fixed panel illustrated
KINGLHF2LH
KINGRHF2RH

Option WF27



Fits between two walls
Minimum - 1375mm
Maximum - 1850mm

Sliding door extending across the front to meet a 500mm fixed panel.
Left hand illustrated
KINGLHWF27LH
KINGRHWF27RH



Sandmartin, Kingfisher, Kite

- Bath replacement, cut to length
- Unrestricted level access
- Wheelchair entry
- Variety of tray sizes available