

'Swift 1345x945 & SWIFT Alcove tray NOW available'

Barrier free, level access using TRUESEAL2

The Swift range of level access shower tray gives you the perfect choice when a practical, corner entry showering alternative is required.

Using TRUESEAL2, our unique floor edge profile, a Swift tray makes it possible to hot seam weld vinyl sheet flooring directly onto the trays unique TRUESEAL2 profile, creating a perfectly secure watertight joint, and vastly reducing the chances of future problems.



NOW AVAILABLE, Swift 1345x945 for easier wheelchair access and Swift Alcove 1400x745 level access shower tray, which has three tiling lips and is ideal for installing in a three wall situation, see page 30.

Benefits

Once fitted, a Swift provides barrier free, level access for those with mobility difficulties. The installation of the tray, with the enclosure can be carried out during one site visit, leaving the flooring to be fitted afterwards. Installing a Swift tray only requires the removal of **18mm** of flooring, the equivalent of a floorboard.

- Barrier free, level access, assists effortless wheelchair entry
- Create a defined shower area without reducing floor space
- Incorporating the unique TRUESEAL2 floor edge profile for that perfect waterproof joint
- Avoids the need to create difficult falls, and requires only 18mm of existing floor to be removed (apart from the trap area)
- Installation friendly, removes the need for intricate corner seam welds
- Shower tray, enclosure and any ancillary equipment can be installed during one site visit, leaving the flooring to be fitted afterwards
- Locate in wooden or solid floor settings, minimal need for additional support under the tray required
- Can accommodate 18mm wallboards by using our Wallboard profile, please ask for further information
- Lifetime guarantee
- Anti-slip surface for an assured underfoot grip
- Manufactured in the UK
- Exclusively incorporates Microban® antibacterial protection
- Handed and non handed tray options available




Suitable for wooden floors



Suitable for screeded floors



Yes




Suitable for gravity waste



Suitable for pumped waste



Proudly Made in the UK



- A** – Floorboard or concrete flooring
- B** - ¼" plywood
- C** – 2mm vinyl sheet flooring



Hot seam weld flooring to the Swift



SWIF1345LHDLH illustrated, with vinyl flooring



Swift tiling option



TRUESEAL2 Preparation

Only **18mm** of flooring needs to be removed when installing a Swift. ¼" plywood should then be used to cover the exposed floor and tray edge, butting up to the TRUESEAL2 profile. Vinyl sheet flooring can now be laid as necessary, overlapping the tray and floor joint.

Vinyl sheet flooring should be grooved and hot seam welded directly to the PVC insert on the TRUESEAL2 profile.

Swift trays now have a 14mm tiling lip for that leak proof finish and will easily accommodate wallboards. Swift Alcove has a 14mm tiling lip to three sides of the tray, see page 30. The tiling lip is also used to secure the tray to the wall.

Swift trays can also be used in a tiled floor situation, by omitting TRUESEAL during manufacture. If you intend to use floor tiles with a Swift, please state clearly when ordering.



*The following Swift trays listed below currently have a 7mm tiling lip. These will be converted to 14mm as part of our ongoing development programme:

- SWIF1095
- SWIF1245
- SWIF1295

| Reference | Tray Size | |
|--------------------|-----------|----------|
| | A | B |
| SWIF945* | 945 | 945 |
| SWIF1045* | 1045 | 1045 |
| SWIF1095 | 1095 | 795 |
| SWIF1245* | 1245 | 1245 |
| SWIF1295 | 1295 | 745 |
| SWIF1345 | 1345 | 845 |
| SWIF1345x945 | 1345 | 945 |
| SWIF1400* (Alcove) | 1400 | 745 |

* Denotes not handed trays

Waste Options

Supplied as standard with a STW8B-95 50mm water seal gravity waste, see page 104 for more details.

UPSW-3-22 available if using in a waste pump situation see page 105 for more details.



Door Options >>>>




Swift

- Incorporates TRUESEAL2 floor edge profile
- Remove only 18mm of flooring
- Complete level access
- Variety of tray sizes available

SWIFT

SWIF945 (Formerly SWIFT003)



Tray not handed.
Reference Code: SWIF945

Option A

A – 290
B – 580
C – 590
D – 280

Bi-folding door hinging from a fixed panel for corner access.
Right hand illustrated
SWIF945ALH
SWIF945ARH

Option B

A – 780


Bi-parting doors hinging from the wall for maximum access.
Not handed
SWIF945B

Option C

A – 380
B – 400

Twin bi-folding doors provide maximum access in a confined space.
Not handed
SWIF945C

SWIF1045 (Formerly SWIFT002)



Tray not handed.
Reference Code: SWIF1045

Option A

A – 370
B – 600
C – 610
D – 360

Bi-folding door hinging from a fixed panel for corner access.
Right hand illustrated
SWIF1045ALH
SWIF1045ARH

Option B

A – 300
B – 640


Bi-parting doors hinging from fixed panels for corner access.
Not handed
SWIF1045B

Option C

A – 430
B – 450

Twin bi-folding doors provide maximum access in a confined space.
Not handed
SWIF1045C

SWIF1245 (Formerly SWIFT006)



Tray not handed.
Reference Code: SWIF1245

Option A

A – 470
B – 700
C – 710
D – 460

Bi-folding door hinging from a fixed panel for corner access.
Right hand illustrated
SWIF1245ALH
SWIF1245ARH

Option B

A – 400
B – 740


Bi-parting doors hinging from fixed panels for corner access.
Not handed
SWIF1245B

Option C

A – 530
B – 550

Twin bi-folding doors provide maximum access in a confined space.
Not handed
SWIF1245C

SWIF1095 (Formerly SWIFT004)



Left hand illustrated.
Reference Code: SWIF1095LH
SWIF1095RH

Option A

A – 400
B – 625
C – 630

Bi-folding door hinging from the wall for corner access.
Right hand illustrated
SWIF1095LHALH
SWIF1095RHARH

Option B

A – 375
B – 650
C – 640

Bi-folding door hinging from the fixed panel for corner access.
Right hand illustrated
SWIF1095LHBLH
SWIF1095RHBRH

Option C

A – 400
B – 620
C – 630

Bi-parting doors for corner access and ease of use.
Right hand illustrated
SWIF1095LHCLH
SWIF1095RHCRH

Option D



A - 875
B - 730

Single door with a fixed panel where assisted bathing is required.
Right hand illustrated
SWIF945DLH
SWIF945DRH

Option E



A - 875
B - 335
C - 375

Bi-folding door with a fixed panel where assisted bathing is required.
Right hand illustrated
SWIF945ELH
SWIF945ERH

Option WF5



Minimum - 875mm
Maximum - 1350mm

Twin sliding doors opening outwards for maximum access and ease of use.
Not handed
SWIF945WF5

Option D



A - 975
B - 415
C - 405

Bi-parting doors with a fixed panel where assisted bathing is required.
Right hand illustrated
SWIF1045DLH
SWIF1045DRH

Option E



A - 975
B - 405
C - 425

Bi-folding door with a fixed panel where assisted bathing is required.
Right hand illustrated
SWIF1045ELH
SWIF1045ERH

Option WF5



Minimum - 875mm
Maximum - 1350mm

Twin sliding doors opening outwards for maximum access and ease of use.
Not handed
SWIF1045WF5

Option D



A - 1175
B - 515
C - 505

Bi-parting doors with a fixed panel where assisted bathing is required.
Right hand illustrated
SWIF1245DLH
SWIF1245DRH

Option E



A - 1175
B - 505
C - 525

Bi-folding door with a fixed panel where assisted bathing is required.
Right hand illustrated
SWIF1245ELH
SWIF1245ERH

Option WF5



Minimum - 875mm
Maximum - 1350mm

Twin sliding doors opening outwards for maximum access and ease of use.
Not handed
SWIF1245WF5

Option D



A - 445
B - 485
C - 630

Bi-folding and single door for maximum tray access.
Right hand illustrated
SWIF1095LHDLH
SWIF1095RHDRH

Option E



A - 640
B - 320
C - 725

Full height enclosure at 1850mm, with full height outward opening door.
Right hand illustrated
SWIF1095LHELH
SWIF1095RHERH
*Curtain not supplied with this option

Option F



A - 610
B - 415
C - 725

Single door with fixed front and return panel where assisted bathing is required.
Right hand illustrated
SWIF1095LHFLH
SWIF1095RHFRH




Swift

- Incorporates TRUESEAL2 floor edge profile
- Remove only 18mm of flooring
- Complete level access
- Variety of tray sizes available

SWIFT

SWIF1295 (Formerly SWIFT005)



Left hand illustrated.
Reference Code: SWIF1295LH
SWIF1295RH

Option A



Bi-folding door hinging from the wall for corner access.
Right hand illustrated
SWIF1295LHALH
SWIF1295RHARH

Option B




Bi-folding door hinging from the fixed panel for corner access.
Right hand illustrated
SWIF1295LHBLH
SWIF1295RHBRH

Option C




Bi-parting doors for corner access and ease of use.
Right hand illustrated
SWIF1295LHCLH
SWIF1295RHCRH

SWIF1345 (Formerly SWIFT001)



Left hand illustrated.
Reference Code: SWIF1345LH
SWIF1345RH

Option A



Bi-folding door hinging from the wall for corner access.
Right hand illustrated
SWIF1345LHALH
SWIF1345RHARH

Option B




Bi-folding door hinging from the fixed panel for corner access.
Right hand illustrated
SWIF1345LHBLH
SWIF1345RHBRH

Option C




Bi-parting doors for corner access and ease of use.
Right hand illustrated
SWIF1345LHCLH
SWIF1345RHCRH

SWIF1345x945



Left hand illustrated.
Reference Code: SWIF1345x945LH
SWIF1345x945RH

Option A




Bi-folding door hinging from the wall for corner access.
Right hand illustrated
SWIF1345x945LHALH
SWIF1345x945RHARH

Option B




Bi-folding door hinging from the fixed panel for corner access.
Right hand illustrated
SWIF1345x945LHBLH
SWIF1345x945RHBRH

Option C



Bi-parting doors for corner access and ease of use.
Right hand illustrated
SWIF1345x945LHCLH
SWIF1345x945RHCRH

SWIF1400 (Swift Alcove)



Tray not handed
Reference Code: SWIF1400

Option A



Twin bi-folding inline doors for maximum access.
Not handed
SWIF1400A

Option F1



Bi-folding door hinging from the wall for easy access.
Right hand illustrated
SWIF1400F1LH
SWIF1400F1RH

Option F2



Bi-parting doors hinging from the wall and fixed panel.
Right hand illustrated
SWIF1400F2LH
SWIF1400F2RH

Option D



A – 545
B – 585
C – 580

Bi-folding and single door for maximum tray access.
Right hand illustrated
SWIF1295LHDLH
SWIF1295RHDRH

Option E



A – 750
B – 410
C – 675

Full height enclosure at 1850mm, with full height outward opening door.
Right hand illustrated
SWIF1295LHELH
SWIF1295RHERH
*Curtain not supplied with this option

Option F



A – 710
B – 415
C – 675

Single door with fixed and return panel where assisted bathing is required. *Right hand illustrated*
SWIF1295LHFLH
SWIF1295RHFRH

Option D



A – 570
B – 610
C – 680

Bi-folding and single door for maximum tray access.
Right hand illustrated
SWIF1345LHDLH
SWIF1345RHDRH

Option E



A – 750
B – 460
C – 775

Full height enclosure at 1850mm, with full height outward opening door.
Right hand illustrated
SWIF1345LHELH
SWIF1345RHERH
*Curtain not supplied with this option

Option F



A – 710
B – 465
C – 775

Single door with fixed and return panel where assisted bathing is required.
Right hand illustrated
SWIF1345LHFLH
SWIF1345RHFRH

Option D



A – 570
B – 610
C – 780

Bi-folding and single door for maximum tray access.
Right hand illustrated
SWIF1345x945LHDLH
SWIF1345x945RHDRH

Option E



A – 750
B – 460
C – 875

Full height enclosure at 1850mm, with full height outward opening door.
Right hand illustrated
SWIF1345x945LHELH
SWIF1345x945RHERH

Option F



A – 710
B – 465
C – 875

Single door with fixed and return panel where assisted bathing is required.
Right hand illustrated
SWIF1345x945LHFLH
SWIF1345x945RHFRH



NOW AVAILABLE

Our latest addition to the Swift range is the fixed length Swift Alcove 1400x745mm alcove tray designed with three tiling lips to fit easily between three walls.

The 14mm tiling lip on this tray will easily accept tiles or wallboards and provides a leak proof finish.



Swift

- Incorporates TRUESEAL2 floor edge profile
- Remove only 18mm of flooring
- Complete level access
- Variety of tray sizes available