

CONTOUR

Dove, Nightingale, & Nightingale02



Above ground, side outlet, just 60mm high Ideal for unbreachable floors

An above ground range of shower trays that can be installed directly onto any floor type, even an unbreachable surface, with the minimum amount of disruption to a property. The side outlet removes the waste water from the shower tray without the need to excavate any of the existing flooring for drainage purposes. The 1½" side outlet can be quickly connected to existing or new pipework.


Advantages

Easy to step into at just 60mm high, this type of shower tray is quick and simple to install. The side out tray requires no floor disruption as the waste water is removed above ground level. The Nightingale02 has no tiling lip and can be used for corner access shower enclosures. Optional ramp available to guarantee wheelchair access.

- Step in shower tray only 60mm high
- Ramp R03 available on request as an optional accessory to guarantee wheeledchair access
- 25 year guarantee
- Reinforced GRP construction
- Anti-slip surface for an assured underfoot grip
- Side outlet tray requires no floor excavation. Can be fitted on wooden or solid floors
- Hair trap
- Left or right hand available
- Nightingale02 has no tiling lip and can be used for corner access enclosures.
(All other tray properties are the same as the Nightingale)



Suitable for wooden floors



Suitable for screeded floors




Suitable for concrete floors



Above ground tray



Only 60mm high




Suitable for gravity or pumped waste





Easy to step in to, could be let into the floor if required



Tiling Lip (Not Nightingale02)

Side Outlet

At 60mm high, this easy to step into range of tray can be installed directly onto the floor without the need for any excavation under the tray, simply bed the tray down and connect pipework to the 1½" side outlet.

Use a 15mm reducer to utilise with existing pipework or if a shower drain pump is required.

The hair trap reduces the prospect of hair, soap and shower gels causing a blockage in the tray's outlet.

The use of an optional ramp will allow for wheelchair access. See page 104 for more details.



1½" side outlet



Hair trap


Waste Position

'A' = 80mm from the centre of the outlet to the outer edge of the tray.

'B' = 35mm from the centre of the outlet to the floor



DOVE A RH illustrated
See following pages for more options



Optional ramp for wheelchair access

Tray Reference	Tray Size		Showering Area	
	A	B	A	B
DOVE	1200	700	1140	640
NIGH	1200	800	1140	740
NIGH02	1200	800	1140	740

Tray's are handed


Enclosure Options >>>>>>>>>

Dove, Nightingale & Nightingale02

- Requires no floor disruption
- Above ground, step in tray
- Only 60mm high
- 1½" side outlet

DOVE, NIGHTINGALE & NIGHTINGALE02

DOVE



Right hand illustrated
Reference Code: DOVELH
DOVERH

Option A



A - 650
B - 412
C - 680

Single door with fixed front and return panel where assisted bathing is required.
Right hand illustrated
DOVELHALH
DOVERHARH


Option B



A - 352
B - 342
C - 355
D - 680

Full height cubicle at 1850mm, glazed in polypropylene, with half height single and bi-folding doors for maximum access.
Right hand illustrated
DOVELHBLH
DOVERHBRH

NIGHTINGALE



Right hand illustrated
Reference Code: NIGHLH
NIGHRH

Option A



A - 650
B - 412
C - 780

Single door with fixed front and return panel where assisted bathing is required.
Right hand illustrated
NIGHLHALH
NIGHRHARH


Option B



A - 352
B - 342
C - 355
D - 780

Full height cubicle at 1850mm, glazed in polypropylene, with half height single and bi-folding doors for maximum access.
Right hand illustrated
NIGHLHBLH
NIGHRHBRH

NIGHTINGALE02



Right hand illustrated
Reference Code: NIGH02LH
NIGH02RH

Nightingale02 has no tiling lip and can be used for corner access enclosures

Option E



A - 500
B - 680
C - 695

Bi-parting doors for corner access and ease of use. Vertical support pole, which is strong enough to act as a grabrail
Right hand illustrated
NIGH02LHELH
NIGH02RHERH

Option C



A – 770
B – 370
C – 680

Full height enclosure at 1850mm, with full height outward opening door.

Right hand illustrated
DOVELHCLH
DOVERHCRH

*Curtain not supplied with this option

Option D



A – 250
B – 225
C – 680

Twin bi-folding doors open and fold providing full access to the front of the shower area.

Right hand illustrated
DOVELHDLH
DOVERHDRH

Option C



A – 770
B – 370
C – 780

Full height enclosure at 1850mm, with full height outward opening door.

Right hand illustrated
NIGHLHCLH
NIGHRRCRH

*Curtain not supplied with this option

Option D



A – 250
B – 225
C – 780

Twin bi-folding doors open and fold providing full access to the front of the shower area.

Right hand illustrated
NIGHLDLH
NIGHRHDRH

Our shower enclosures are not just a standard range.

We can tailor make enclosures to suit individual requirements'

Dove, Nightingale & Nightingale02

- Requires no floor disruption
- Above ground, step in tray
- Only 60mm high
- 1½" side outlet