

USE THIS TRAY SELECTOR AS A GUIDE TO HELP IDENTIFY YOUR IDEAL SHOWER TRAY

DETERMINE THE USER'S CAPABILITIES

ARE THEY IN A WHEELCHAIR? DO THEY HAVE LIMITED MOBILITY DIFFICULTIES?

LEVEL ACCESS WILL ALLOW UNRESTRICTIVE ENTRY FOR WHEELCHAIR USERS

A LOW ENTRY TRAY CAN BE EASILY STEPPED INTO, OR UTILISED WITH AN ADDITIONAL RAMP SHOULD THE NEED ARISE



A cubicle is another alternative that offers an enclosed shower area and can easily be located in a bedroom.

See pages 1.14, 1.27 or 1.30 for details.

IS THE FLOOR UNBREACHABLE AND NEEDS TO INCORPORATE A PUMP?

NO

YES



A wet floor area provides total easy access where a shower tray is not possible or practical.

See page 1.10 for details.

DOES THE USER REQUIRE COMPLETE FLOOR LEVEL ACCESS?

NO

YES

WITH THE OPTION OF BUILT IN PIPE DUCT, RAMP OR VARIABLE SIZE?

NO

YES

LEVEL ACCESS

	Size (mm)
Swift 003	945 x 945
Swan	950 x 950
Swift 002	1045 x 1045
Harrier	1050 x 750
Stork	1050 x 1050
Swift 004	1095 x 795
Firecrest	1100 x 1100
Swift 006	1245 x 1245
Skylark	1250 x 700
Osprey	1250 x 800
Merlin	1250 x 800
Swift 005	1295 x 745
Swift 001	1345 x 845
Flamingo	1490 x 900
Sandmartin	1850 x 700
Eagle 001	1850 x 745
Kingfisher	1850 x 800
Eagle 002	1850 x 845
Kite	1850 x 900

ABOVE GROUND SIDE OUTLET

	Size (mm)
Dipper	1100 x 750
Dove	1200 x 700
Nightingale	1200 x 800

ABOVE OR BELOW GROUND

	Size (mm)
Peacock	800 x 800
Owl	900 x 900
Lapwing	1000 x 1000
Mallard	1200 x 750
Wagtail	1200 x 800
Teal	1300 x 710
Gadwall	1500 x 800
Albatross	1700 x 700

ABOVE GROUND WITH BUILT IN PIPE DUCT

	Size (mm)
Robin	1050 x 1050
Pipit	1140 x 750
Redwing	1350 x 750
Linnet	1435 x 800
Swallow	1545 x 720
Puffin	1550 x 710
Guillemot	1700 x 750
Heron	1820 x 770
Chaffinch	1850 x 750
Kittiwake	1850 x 750

*The Linnet tray also has the built in ramp option.

ABOVE GROUND WITH BUILT IN RAMP


	Size (mm)
Grebe	950 x 950
Crane	1050 x 1050
Cormorant	1200 x 850
Eider	1200 x 1200
Wren	1300 x 900
Jay	1300 x 900

*See page 1.33.16 for tray options that can be used with a separate, additional ramp

BATH REPLACEMENT CUT TO SIZE

	Size (mm)
Penguin	1800 x 800
Bittern	1850 x 800
The trays below, although they are shown elsewhere, also have the cut to length option.	
Heron	1820 x 770
Sandmartin	1850 x 700
Eagle 001	1850 x 745
Chaffinch	1850 x 750
Kittiwake	1850 x 750
Kingfisher	1850 x 800
Eagle 002	1850 x 845
Kite	1850 x 900

*Note: A service ducting profile is available for Level Access Trays (except Swift), please ask for details.



Contents

Use our tray selector opposite to identify a specific size or type of shower tray

Glossary	I
Microban® Antibacterial Protection	II & III
Shower Enclosures	IV
Shower Traps	V
Trays - The Strength Test	VI
Glazing - The Strength Test	VII



PAGE DETAILS

LEVEL ACCESS - Below Ground

Swift 001, 004 & 005	1.1
Swift 002, 003 & 006	1.2
Eagle 001 & 002	1.3
Osprey / Harrier	1.4
Skylark / Merlin	1.5
Swan / Stork	1.6
Sandmartin / Kingfisher / Kite	1.7
Firecrest	1.8
Flamingo	1.9
Wet Floor Area & Carerscreen®	1.10

SIDE OUTLET - Above Ground

Dove / Nightingale	1.11
Dipper	1.12

ABOVE/BELOW GROUND - Above / Below Ground

Peacock / Owl / Lapwing	1.13
Mallard / Teal / Wagtail	1.14
Albatross	1.15
Gadwall	1.16

ABOVE GROUND WITH BUILT IN PIPE DUCT - Above Ground

Robin	1.17
Chaffinch	1.18
Heron	1.19
Swallow	1.20
Redwing	1.21
Pipit	1.22
Kittiwake	1.23
Linnet	1.24
Puffin	1.25
Guillemot	1.26

ABOVE GROUND WITH BUILT IN RAMP - Above Ground

Wren	1.27
Jay	1.28
Grebe / Crane / Eider	1.29
Cormorant	1.30

BATH REPLACEMENT - Above Ground

Penguin	1.31
Bittern	1.32

ACCESSORIES 1.33

CONTOUR SHOWERS LTD

Glossary

Use this glossary of terms to assist in your choice or to help explain the item's function.

Level Access:	<i>A shower tray with no height difference between the tray's edge and the flooring when installed.</i>
Above Ground:	<i>A shower tray that requires no floor excavation (other than to accept the shower trap).</i>
Below Ground:	<i>A shower tray set into the floor to provide level or wheeledchair access.</i>
Side Outlet:	<i>A shower tray requiring no floor disruption, and allows existing pipework to connect to the tray's outlet.</i>
Bath Replacement:	<i>A shower tray no wider than 900mm that on most circumstances can be cut to length to suit.</i>
GRP:	<i>Glass fibre reinforced plastic or fibreglass.</i>
Anti-slip:	<i>An area of the shower tray moulded to provide user assurance and under foot comfort.</i>
Drying Area:	<i>Part of the tray away from the showering area, where the user can be dried before leaving the tray.</i>
Showering Area:	<i>The space of the shower tray enclosed by the shower doors.</i>
25 Year Guarantee:	<i>All shower trays have a substantial warranty, but does not apply to items incorrectly installed, misused or abused.</i>
Tiling Lip:	<i>Helps to produce a waterproof finish as well as accepting tiles or wallboards. Also used to secure shower tray to the wall.</i>
Pipe/Service Ducting:	<i>Incorporated within some above ground trays or supplied in a 2 metre length. Provides a void behind tray to accommodate existing pipework.</i>
Shower Trap:	<i>McAlpine STW7-RB for level access or above/below ground trays. McAlpine TRSH10 trap for above ground trays offering multiple choice of waste exit. Fitted in waste outlet.</i>
Ramp:	<i>Sloped tray edge for guaranteed wheeledchair access. Incorporated into various trays or as an optional accessory.</i>
Wet Floor Area:	<i>An area covered in waterproof flooring that has been graded to the waste outlet.</i>
Waste Outlet:	<i>The point in the showering area where the water drains toward.</i>
Rise & Fall Hinge:	<i>Hinge designed for effortless door opening, and typically rising approximately 9mm.</i>
Single Door:	<i>One door which will close onto a fixed panel or wall compensator.</i>
Bi-folding Door:	<i>Two door panels hinged together, allowing one panel to fold back onto the other.</i>
Tri-folding Door:	<i>Three door panels hinged together, allowing two panels to fold back onto the third.</i>
Bi-parting Door:	<i>Two single doors meeting at the corner and opening for full access.</i>
Half Height:	<i>Door height of 750mm (29¹/₂"). Other sizes can be made on request.</i>
Full Height:	<i>Fixed panel or cubicle height of 1850mm (72³/₄")</i>
Fixed Panel:	<i>Half or full height, allows close fitting of WC or washbasin.</i>
Earth Bonding Connection:	<i>Fitted during installation to the wall compensator. Will remove electrical current in the unlikely event of coming into contact with the shower doors.</i>
Yellow Fittings:	<i>A pronounced colour used to assist the visually impaired.</i>
Cubicle:	<i>Available on variety of above ground trays offers an enclosed showering area. Can be easily located in a bedroom or other room.</i>