

WALK-IN BATHS

Designed for **home** and **healthcare** environments for people who have difficulty using a conventional bath but still want to enjoy a worry free, relaxing soak with minimal assistance.

All walk-in baths feature:

- Dual clicker wastes for faster drainage.
- Slip resistant base to shower area.
- Optional end or side panels available.
- **1 YEAR WARRANTY**, parts & labour.
- **5 YEAR WARRANTY**, parts only
- Hydro Spa, LED Chromotherapy & thermostatic valve options available.
- **TAPS NOT SUPPLIED.**



Styles available:

STANDARD FULL LENGTH WALK-IN BATH

- When conventional full length bathing is preferred to seated bathing.
- When replacing a conventional bath or the bathroom is of a larger size.
- When the user is able to lower and raise themselves without assistance.

DEEP SOAKER WALK-IN BATH

- When seated bathing is preferred to conventional bathing.
- When a low entry threshold is required for easier entry and exit.
- Where space is restricted in the bathroom.

L SHAPE & P SHAPE WALK-IN BATHS

- When conventional full length bathing is preferred to seated bathing.
- When replacing a conventional bath and the user wants more space to stretch out or use with a shower.
- When the user is able to lower and raise themselves without assistance.

ASSISITIVE BATHS

- When full length bathing is preferred and the user has limited mobility.
- When the user requires assistance to lower and raise themselves with or without a carer.



HYDRO SPA AVAILABLE.
For an enjoyable bathing experience. Please ask.



LED CHROMOTHERAPY AVAILABLE. Benefit from the relaxing & theraputic effects of colour whilst bathing. Choose a single colour or a sequential fading effect through the 7 colour range.



THERMOSTATIC VALVE.
Accurately controls water temperature. Please ask.


STANDARD FULL LENGTH WALK-IN BATH



Right hand entry door illustrated.

OULTON, standard walk-in bath
1700x700mm

- Inward opening door.
- Effortless, easy close latch mechanism.
- Low step in threshold: 165mm minimum.
- Optional end panel available.



Description	Left Hand	Right Hand
Oulton Standard Walk-in Bath	11-OULLH	11-OULRH
End Panel, <i>not handed</i>	11-OULEP	



UK mainland fixed delivery charge
Lead-time 3 weeks

L SHAPED & P SHAPED WALK-IN BATHS

- 6mm toughened glass shower screen with bright silver trim.
- Slip resistant base to shower area.
- Optional end panels available.




Right hand entry door illustrated.

MARBURY, 'L' bath

1670 x 700 x 850mm

- Inward opening, 10mm toughened glass door
- Single lever door lock
- Step in threshold: 235mm (outer)
- Floor to top of bath: 535mm.



Description	Left Hand	Right Hand
Marbury L Shape Walk-in Bath	11-MARLH	11-MARRH
End Panel, <i>not handed</i>	11-MAREP	




Right hand entry door illustrated.

MANLEY, 'L' bath

1670 x 700 x 850mm

- Inward opening door
- Easy close latch mechanism
- Step in threshold: 195mm (outer)
- Floor to top of bath: 535mm



Description	Left Hand	Right Hand
Manley L Shape Walk-in Bath	11-MANLH	11-MANRH
End Panel, <i>not handed</i>	11-MANEP	




Right hand entry door illustrated.


BRERETON, 'P' bath

1675 x 750 x 850mm

- Inward opening door
- Button operated door mechanism
- Step in threshold: 235mm (outer)
- Floor to top of bath: 530mm.



Description	Left Hand	Right Hand
Brereton P Shape Walk-in Bath	11-BRELH	11-BRERH
End Panel, <i>not handed</i>	11-BREEP	

 UK mainland fixed delivery charge
Lead-time **3 weeks**



DEEP SOAKER WALK-IN BATHS

- Incorporating a moulded seat when seated bathing is preferred.
- Slip resistant base to shower area.
- Optional end & side panels available.

WALK-IN BATHS




Not handed.

NOT HANDED

COMBERMERE, 900 x 650mm

- Inward opening wide front door.
- Button operated door mechanism.
- Seat height: 320mm.
- Overall internal depth: 750mm.
- Step in threshold: 170mm.
- Floor to top of bath: 860mm.

Not suitable for the larger user, larger than a 46" waist or over 5' 10" in height.



Description	Not Handed
Combermere Walk-in Bath	11-COM
Side Panel	11-COMSP




Right hand hinged door illustrated.

LH RH

HATCHMERE, 980 x 750mm

- Wide, outward opening door.
- Front entry.
- Moulded backrest, armrests & seat.
- Optional canopy.
- Seat height: 280mm.
- Overall internal depth: 795mm.
- Step in threshold: 175mm.
- 'DUO' bath option supplied in 2 parts for easier installation.
- Floor to top of bath: 935mm.



Description	Left Hand	Right Hand
Hatchmere DUO Walk-in Bath	11-HADLH	11-HADRH
Hatchmere Walk-in Bath	11-HATLH	11-HATRH
End Panel, not handed	11-HATEP	
Canopy, not handed	11-HATCP	




Right hand entry door illustrated.

LH RH

OAKMERE, 1050 x 665mm

- Inward opening door.
- Button operated door mechanism.
- Seat height: 320mm.
- Overall internal depth: 750mm.
- Step in threshold: 170mm (outer).
- Floor to top of bath: 890mm.



Description	Left Hand	Right Hand
Oakmere Walk-in Bath	11-OAKLH	11-OAKRH
End Panel, not handed	11-OAKEP	




Right hand entry door illustrated.

LH RH

DELAMERE, 1210 x 650mm

- Inward opening 10mm toughened glass door.
- Easy to use single lever door lock.
- Seat height: 395mm.
- Overall internal depth: 795mm.
- Step in threshold: 196mm (outer).



Description	Left Hand	Right Hand
Delamere Walk-in Bath	11-DELLH	11-DELRH
Side Panel, not handed	11-DELEP	


UK mainland fixed delivery charge
Lead-time 3 weeks



Right hand entry door illustrated.

BLAKEMERE, 1210 x 650mm

- Inward opening door.
- Single lever door lock.
- Seat height: 365mm.
- Overall internal depth: 795mm.
- Step in threshold: 150-250mm max.
- Floor to top of bath: 865-965mm.




Description	Left Hand	Right Hand
Blakemere Walk-in Bath	11-BLALH	11-BLARH
End Panel, not handed	11-BLAEP	



Right hand entry door illustrated.

NUNSMERE, 1270 x 660mm

- Inward opening door.
- Easy to use single lever door lock.
- Seat height: 370mm.
- Overall internal depth: 790mm.
- Step in threshold: 196mm (outer).
- Floor to top of bath: 936mm.



Description	Left Hand	Right Hand
Nunsmere Walk-in Bath	11-NUNLH	11-NUNRH
End Panel, not handed	11-NUNEP	



SEAT

For use with deep soak baths

- 75mm Seat.
- 125mm Seat.

Description	Not Handed
75mm Seat	11-SEA75
125mm Seat	11-SEA125

ASSISTIVE BATHS


- For nursing and care home environments to aid patient transfer or people who may require more specialist assistance when bathing.
- Slip resistant base to shower area.
- Optional end panels available.



Right hand entry door illustrated.

SHAKERLEY, 1700 x 700mm

- Bath with powered up / down seat lift
- Inward opening door.
- Button operated door mechanism.
- Contoured seat with fold down armrests
- Step in threshold: 235mm (outer).
- Powered lifting & lowering up to 150kg or 24 stones.




Description	Left Hand	Right Hand
Shakerley Bath with Seat Lift	11-SHALH	11-SHARH
End Panel, not handed	11-SHAEP	



Not handed.

ROSTHERNE, 1680 x 740mm

- Outward opening, 880mm wide fold down door.
- Easy to access from a sitting height for easy transfer from a wheelchair.
- Height adjustable to suit user: 500mm (maximum from the floor).
- Height: 800mm (maximum adjustment).
- Eliminates the use of slings & hoists.



Description	Not Handed
Rostherne Adjustable Height Bath	11-ROS
End Panel	11-ROSEP

