

SHOWER DOORS

Bespoke, made to measure, half height carer doors for shower trays & wetrooms.

Designed for independent & assisted showering. Ideal for use on shower trays or in wetrooms providing ease of use & installation.

USER BENEFITS

- Rise & fall hinge system lifts the doors by at least 10mm as they are opened, to prolong the life of the floor seal & make the doors easier to operate.
- Watertight 'click' hinge at door intersections for increased strength & durability or 360° hinge for access flexibility.
- Coloured handles, latches & curtain rail support poles available to assist users with visual impairment or dementia sufferers.
- Easy grip 'D' handles supplied to assist opening.
- Full length magnetic door closing seals the door at the closing point.

INSTALLATION BENEFITS

- Made to measure & normally despatched for **NEXT WORKING DAY** delivery*.
- Pre-assembled for easy installation.
- Wall levelling compensator allows at least 25mm of adjustment for out of square walls & floors.
- Integrated corner block designed to be trimmed to suit 10mm or 38mm radiused floor coverings.
- Step by step, easy to follow installation guides supplied & available to download online.

SPECIFIER BENEFITS

- Manufactured in the UK from components that are 100% recyclable.
- Available in a white powder coated finish as standard or Luxe polished etch bright silver.
- Glazed in 3mm impact resistant PET or 4mm toughened glass, **see page 2**.
- Half height doors manufactured at 750mm, a preferred height for carers. **Other heights available on request.**
- Standard & bespoke door options available to suit all practical applications.
- All seals manufactured from flexible PVC, rubber or co-extruded rubber.
- **NOW SUPPLIED** with a curtain rail & 2000mm drop, 4oz white, satin striped, weighted, polyester, antibacterial shower curtain.
- Optional 360° hinge system available to enable the doors to fold in & out of the shower area. **Please request when ordering.**

Shower doors are suitable for use with showers that have an output of up to 15 litres per minute.

*Does not include deliveries to Ireland or events beyond our control. Longer lead-time applies for doors glazed with toughened glass.



Glazed with 3mm PET environmentally impact resistant glazing as standard or 4mm toughened glass available on request. (Longer lead-time applies for toughened glass).



Flip over latch will prevent door movement should a carer lean against them & will provide a more rigid enclosure. Available in Blue to assist the visually impaired & dementia sufferers.

Blue latches available for click hinge doors.



360° hinge system available to enable bi-fold doors to fold into the shower area, ideal for small bathrooms. Suffix the door reference with 360 when ordering, eg: WF3LH-360.

! Doors will be supplied with our standard click hinge unless stated otherwise when ordering. !



Rise & fall hinges lift the door by at least 10mm and are easy to operate & highly manoeuvrable. Doors will also remain open when in the open position.



Easy to grip 'D' handles supplied for users with limited strength. Also available in Blue & Black to assist the visually impaired & dementia sufferers. (Blue & Black handles available for click hinge doors).




Integrated corner block designed to be trimmed to suit 10mm or 38mm radiused floor coverings.



Luxe polished etch bright silver doors will give a modern appearance to an easy access bathroom, see above left opposite also. Toughened glass available on request.



Supplied as standard with a 2000mm drop antibacterial protected shower curtain to inhibit the growth of bacteria & fungi. See page 42 for more details.



To measure the area for your shower doors to fit, it is important that accurate dimensions are taken from the tile face to tile face or to the proposed closed position of the doors.

ORDER TOGETHER FOR NEXT WORKING DAY DELIVERY...

04
Wet floor formers



06
Low level trays



12
Level access trays



STANDARD OR MADE TO MEASURE DOOR OPTIONS, all door options are right handed unless stated.

CORNER ACCESS

WF1



Maximum size:
A: 1500mm, B: 1000mm
Bi-folding and single door provide maximum access.
Right hand illustrated.

WF1LH **WF1LH-360**
WF1RH **WF1RH-360**

WF2



Maximum size:
A: 1200mm
Bi-parting doors provide maximum access.
This option is not handed unless doors are unequal widths.

WF2

WF3



Maximum size:
A: 1500mm, B: 1500mm
Twin bi-folding doors provide maximum access in a confined space. *Right hand illustrated. This option is not handed unless doors are unequal widths.*

WF3 **WF3-360**

WF4



Maximum size:
A: 1600mm, B: 1500mm
Bi-folding and tri-folding door allowing full access in a confined space.
Right hand illustrated.

WF4LH **WF4LH-360**
WF4RH **WF4RH-360**

CORNER ACCESS WITH FIXED PANEL


WF6



Maximum size:
A: 1500mm, B: 900mm
Bi-folding door hinging from a fixed panel for corner access.
Right hand corner illustrated.

WF6LH
WF6RH

WF7



Maximum size:
A: 1500mm, B: 900mm
Bi-folding door hinging from the wall for corner access.
Right hand corner illustrated.

WF7LH
WF7RH

WF8



Maximum size:
A: 1500mm, B: 1000mm
Bi-parting doors hinging from the wall and fixed panel for corner access.
Right hand illustrated.

WF8LH
WF8RH

WF9



Maximum size:
A: 1500mm, B: 1500mm
Bi-folding door hinging from the wall with single door hinging from the fixed panel.
Right hand illustrated.

WF9LH **WF9LH-360**
WF9RH **WF9RH-360**

FRONT ACCESS

WF14



Maximum size:
A: 1200mm
Easy to open single door opens outwards allowing full access.
Right hand hinged illustrated.

WF14LH
WF14RH


WF15



Maximum size:
A: 1800mm
Bi-parting doors hinging from the wall for full access in a restricted room.
This option is not handed.

WF15


WF16



Maximum size:
A: 1500mm
Bi-folding door hinging from the wall for maximum access in a confined space.
Right hand hinged illustrated.

WF16LH **WF16LH-360**
WF16RH **WF16RH-360**

WF17



Maximum size:
A: 2000mm
Bi-folding and single door allow full access to the showering area.
Right hand hinged illustrated.

WF17LH **WF17LH-360**
WF17RH **WF17RH-360**


CURTAIN & CURTAIN RAIL:

Shower doors are supplied with a curtain rail & 4oz weighted, satin striped, antibacterial shower curtain.

360° DOOR OPTIONS:

360° centre hinge system can be added to bi-folding shower doors to allow folding into & out of the shower area.

WF5



Maximum size:
A: 1350mm
Twin sliding doors hinging from the wall allow maximum access and ease of entry. Will fit an area over 875mm, maximum 1350mm. *This option is not handed.*

WF5 **LUXE NOT AVAILABLE FOR THIS OPTION.**


WF10



Maximum size:
A: 1700mm, B: 1000mm
Tri-folding door hinging from the wall allowing full access in a confined room. Fixed panel with a vertical, curtain rail support pole. *Right hand illustrated.*

WF10LH **WF10LH-360**
WF10RH **WF10RH-360**

WF11



Maximum size:
A: 1700mm, B: 1000mm
Bi-parting doors for ease of entry, with a fixed panel and vertical, curtain rail support pole. *Right hand illustrated.*

WF11LH
WF11RH

WF12



Maximum size:
A: 1800mm, B: 1500mm
Twin bi-folding doors for ease of use, with a fixed panel and vertical, curtain rail support pole. *Right hand illustrated.*

WF12LH **WF12LH-360**
WF12RH **WF12RH-360**

WF13



Maximum size:
A: 1700mm, B: 1000mm
Tri-folding door hinging from the wall allowing full access in a confined room. Fixed panel with a vertical, curtain rail support pole. *Right hand illustrated.*

WF13LH **WF13LH-360**
WF13RH **WF13RH-360**

WF18



Maximum size:
A: 1700mm
Tri-folding door can span a wider room opening and provide full access. *Right hand hinged illustrated.*

WF18LH **WF18LH-360**
WF18RH **WF18RH-360**

WF19



Maximum size:
A: 2000mm
Twin bi-folding inline doors for maximum access. *Not handed.*

WF19 **WF19-360**

WF20



Maximum size:
A: 1350mm
Sliding door can extend across the shower area and opens outwards. Will fit between two walls minimum 875mm and maximum 1350mm. *Right hand illustrated.*

WF20LH **LUXE NOT AVAILABLE FOR THIS OPTION.**
WF20RH



Available for door options showing 360° emblem, please ask if unsure.

LUXE SILVER SATIN FINISH DOORS:

Choose LUXE Range shower doors to create a modern appearance to an easy access bathroom.

COLOURED DOOR FITTINGS:

Coloured handles, latches and curtain rail support poles available to assist the visually impaired at no additional cost. Colours available: Grey, Blue & Black. (Pole: Blue only).

NOTE: 360° hinge options only available in grey.

STANDARD OR MADE TO MEASURE DOOR OPTIONS, all door options are right handed unless stated.

FRONT ACCESS WITH FIXED PANEL

WF21



Maximum size:
A: 2000mm
Single door opens outwards allowing full access. With a vertical, curtain rail support pole. *Right hand illustrated.*

WF21LH
WF21RH

WF22



Maximum size:
A: 2500mm
Bi-parting doors hinging from the wall and fixed panel, for easy access. With a vertical, curtain rail support pole. *Right hand illustrated.*

WF22LH
WF22RH

WF23



Maximum size:
A: 2000mm
Single door hinging from the vertical, curtain rail support pole. *Right hand illustrated.*

WF23LH
WF23RH

WF24



Maximum size:
A: 2500mm
Bi-folding door hinging from the wall for easy access with a vertical, curtain rail support pole. *Right hand illustrated.*

WF24LH **WF24LH-360**
WF24RH **WF24RH-360**



FRONT ACCESS WITH RETURN PANEL

WF28



Maximum size:
A: 1700mm, B: 1000mm
Single door with fixed front and return panels. With a vertical, curtain rail support pole.

WF28LH
WF28RH

WF29



Maximum size:
A: 1200mm, B: 1200mm
Single door with a return panel where assisted showering is required. With a vertical, curtain rail support pole. *Right hand illustrated.*

WF29LH
WF29RH

WF30



Maximum size:
A: 1500mm, B: 1200mm
Bi-parting doors with a return panel where assisted showering is required. With a vertical, curtain rail support pole. *Right hand illustrated.*

WF30LH
WF30RH

WF31



Maximum size:
A: 1500mm, B: 1200mm
Bi-folding door with a return panel where assisted showering is required. With a vertical, curtain rail support pole. *Right hand illustrated.*

WF31LH **WF31LH-360**
WF31RH **WF31RH-360**



FIXED PANEL

WFX



Maximum size:
A: 1000mm
Full height fixed panel with a vertical, curtain rail support pole. *Right hand illustrated.*

WFXLH
WFXRH

WFY



Maximum size:
A: 1000mm
Half height fixed panel with a vertical, curtain rail support pole. *Right hand illustrated.*

WFYLH
WFYRH

CURTAIN & CURTAIN RAIL:

Shower doors are supplied with a curtain rail & 4oz weighted, satin striped, antibacterial shower curtain.

360° DOOR OPTIONS:

360° centre hinge system can be added to bi-folding shower doors to allow folding into & out of the shower area.

WF25



Maximum size:
A: 2000mm
Bi-folding door hinging from the vertical, curtain rail support pole. *Right hand illustrated.*

WF25LH **WF25LH-360**
WF25RH **WF25RH-360**

WF26



Maximum size:
A: 2500mm
Two fixed panels with centralised bi-parting doors and vertical, curtain rail support poles. *This option is not handed.*

WF26

WF27



Maximum size: **LUXE NOT AVAILABLE FOR THIS OPTION.**
A: 1850mm
Sliding door extends across the shower area to meet a 500mm fixed panel. Fits between two walls minimum 1375mm. *Right hand illustrated.*

WF27LH
WF27RH

WF35



Maximum size:
A: 2500mm
Twin bi-folding inline doors hinging from the wall for easy access. With a vertical, curtain rail support pole. *Right hand illustrated.*

WF35LH **WF35LH-360**
WF35RH **WF35RH-360**

WF32



Maximum size:
A: 2000mm, B: 1200mm
Twin bi-folding doors open to allow full access, with a return panel & vertical, curtain rail support pole. *Right hand illustrated.*

WF32LH **WF32LH-360**
WF32RH **WF32RH-360**

WF33



Maximum size:
A: 1800mm, B: 1200mm
Bi-folding door hinging from the fixed panel, with two vertical, curtain rail support poles. *Right hand illustrated.*

WF33LH **WF33LH-360**
WF33RH **WF33RH-360**

WF34



Maximum size:
A: 1800mm, B: 1200mm
Bi-parting doors hinging from the fixed & return panel, with two vertical, curtain rail support poles. *Right hand illustrated.*

WF34LH
WF34RH



Available for door options showing 360° emblem, please ask if unsure.

LUXE SILVER SATIN FINISH DOORS:

Choose LUXE Range shower doors to create a modern appearance to an easy access bathroom, *see right.*

COLOURED DOOR FITTINGS:

Coloured handles, latches and curtain rail support poles available to assist the visually impaired at no additional cost. Colours available: Grey, Blue & Black. (Pole: Blue only).

NOTE: 360° hinge options only available in grey.

